


62.75

Tr

MEMBER OF:
 AMERICAN NURSERYMEN ASSOCIATION
 NEW ENGLAND NURSERYMEN ASSOCIATION
 R. I. NURSERYMEN ASSOCIATION



C. HOOGENDOORN
NURSERYMAN
TURNER ROAD NEWPORT, R. I.
 TELEPHONE NEWPORT 3405



November 30, 1955

LINING-OUT STOCK

	Per 100 (EACH)	Per 1000 (EACH)
250 Acer Ossi Beni, 2 yr. grafts, 10-18"	\$ 1.75	\$.09
1,000 " palmatum, grafting size, 2 yr. sdlgs.	.11	1.50
700 " " atropurpureum, 2 yr. grafts, 12-18"	1.75	.40
ARBORVITAE, see Thuja		.35
400 Azalea knaphill hybrids, 2 yr. tr.	.40	.35
500 " mollis, Koster Brilliant Red, 2 yr. tr. cutback	.40	.35
1,000 " mucronulatum, strong 1 yr. tr., 5-9"	.20	.17½
1,000 " Schlippenbachii, strong 2 yr. tr., 3-6"	.35	.30
BEACH PLUM, see Prunus maritima		
BEECH, see Fagus		
500 Cedrus atlantica glauca, 1 yr. grafts, 10-15"	1.00	
500 Chamaecyparis obtusa gracilis nana, 2 yr. grafts	.75	
300 " squarrosa K&C (Blue squarrosa) 2 yr. tr. 8-12"	.40	.35
500 Cornus florida rubra, 1 yr. grafts, 18-24"	1.10	.90
1,000 Cotoneaster horizontalis, 1 yr. sdlgs., 4-6"	.10	.07½
1,000 " " , 2 yr. sdlgs.	17½	.15

* - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - *

COTONEASTER FRAECOX

-

This is one of the hardiest Cotoneasters and went through 20 degrees below zero without any harm. It has large berries like cranberries which color up in the middle of August and remain on until very late Fall. It grows rather flat and makes an ideal plant to mix in with foundation plantings and especially with ranch-type houses. We can offer for Fall, 1955 and Spring, 1956, the following:

| | | |
|-------------------------------|-----|------|
| 500 strong 1 yr. sdlgs., 4-8" | .25 | .22½ |
| 500 transplants, 2 yr., 8-12" | .50 | * |
| 2,000 strong 2 yr. sdlgs. | .30 | .25 |

* - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - *

| | | |
|--|-----|-----|
| DOGWOOD, see Cornus | | |
| 25¢ Enkianthus campanulata, strong 2 yr. tr. | .40 | |
| 3,000 Euonymus alatus compacta, 2 yr., 4-8", transplanted and cutback last year and full of breaks | .30 | .25 |

November 30, 1955

- 2 -

C. Hoogendoorn, Nurseryman, Turner Rdad, Newport, R. I.

Telephone Newport 3405

LINING-OUT STOCK - continued

| Per 100
(EACH) | Per 1000
(EACH) |
|-------------------|--------------------|
|-------------------|--------------------|

* - *
 - EXOCHORDA WILSONI -
 * This plant was introduced into this *
 - country by the famous Dr. Wilson. -
 * It is a big improvement over Exochorda *
 - grandiflora as it blooms much heavier -
 * and the flowers are exceedingly fragrant. *
 -

* 2 yr. grafts .75 .60*
 - *

25 *Fagus sylvatica* asplenifolia (Fernleaf Beech) 3 yr.

| | | | | | |
|-----|---|---|---|---------|----|
| 300 | " | " | grafts, 12-18" | \$ 2.00 | \$ |
| 50 | " | " | bicolor, 2 yr. grafts, 10-18" | 1.75 | |
| 200 | " | " | pendula (Weeping Green Beech) 2 yr.
grafts, 1 $\frac{1}{2}$ -2 $\frac{1}{2}$ ' | 1.50 | |
| 75 | " | " | pyramidalis, (Pyramid Green Beech) 2 yr.
grafts, 12-18" | 1.50 | |
| 300 | " | " | purpureum pendula (Weeping Riversi Beech)
2 yr. grafts | 2.00 | |
| 100 | " | " | Riversi (Rivers Beech), 2 yr. grafts,
10-18" | 1.50 | |
| | | " | " , 3 yr. grafts,
18-24" | 2.00 | |

FIR, see *Pseudotsuga*

| | | | | |
|-------|---|--------|-----|-------------------|
| 3,000 | <i>Forsythia</i> Spring Glory, 1 yr. hardwood, | 18-24" | .10 | .07 $\frac{1}{2}$ |
| 1,000 | " Arnold Giant, 2 yr. tr., branched, | 15-24" | .30 | .25 |
| 500 | <i>Ilex compacta</i> , 1 yr. tr. cuttings | | .20 | .17 $\frac{1}{2}$ |
| 500 | " , 2 yr. tr., 4-6" spread | | .40 | .35 |
| 500 | " , 3 yr. tr. | | .60 | .50 |
| 2,500 | " <i>convexa</i> , 2 yr. tr., 6-10" | | .40 | .35 |
| 500 | " , 3 yr. tr., 10-15" | | .60 | .50 |
| 1,000 | " <i>crenata</i> (True) strong 1 yr. tr. cuttings | | .20 | .17 $\frac{1}{2}$ |
| 1,000 | " <i>glabra</i> , strong 1 yr. tr. cuttings | | .20 | .17 $\frac{1}{2}$ |
| 500 | " <i>helleri</i> , 1 yr. cuttings | | .20 | .17 $\frac{1}{2}$ |
| 1,000 | " , 2 yr. tr., 4-6" spread | | .40 | .35 |
| 250 | " , 3 yr. tr. | | .60 | .50 |
| 600 | " <i>latifolia</i> , 2 yr. tr., 8-12" | | .40 | .35 |
| 1,000 | " <i>rotundifolia</i> , strong 1 yr. tr. | | .20 | .17 $\frac{1}{2}$ |
| 1,000 | " , 2 yr. tr., 6-9" | | .40 | .35 |
| 1,000 | <i>Juniperus</i> <i>andorra</i> , 2 yr. tr., 8-12", cut back last Spring | | .40 | .35 |
| 1,000 | " <i>hetzii</i> , 1 yr. tr. cuttings | | .25 | .20 |
| 1,000 | " , 2 yr. tr., 10-15", cut back last Spring | | .40 | .35 |
| 1,500 | " <i>pfitzeriana</i> , 2 yr. tr., 8-12", cut back last Spring | | .40 | .35 |
| 500 | " <i>stricta</i> , 1 yr. tr., 4-6" | | .25 | |
| 500 | " , 2 yr. field rows, 8-10" | | .50 | .45 |
| 5,000 | " <i>virginiana</i> , 1 yr. sdgs., 3-5" (free of blight) | | .05 | .04 |
| 5,000 | " , 2 yr. sdgs. | | .06 | .05 |
| 3,000 | <i>Ligustrum</i> <i>ibota regalianum</i> (Regal Privet) true, 1 yr. soft-
wood from frames | | .06 | .05 |

November 30, 1955

- 3 -

Telephone Newport 3405

C. Hoogendoorn, Nurseryman, Turner Road, Newport, R. I.

LINING-OUT STOCK - continued

| | | Per 100
(EACH) | Per 1000
(EACH) |
|---|---|-------------------|--------------------|
| 200 | Magnolia Alexandrina, 1 yr. grafts | \$.75 | \$ |
| 100 | " conspicua, 1 yr. grafts | .75 | |
| 150 | " Lenni, 1 yr. grafts | .75 | |
| 250 | " rustica rubra, 1 yr. grafts, 12-24" | .75 | |
| 400 | " stellata, 1 yr. grafts | .75 | |
| 300 | " rosea, 1 yr. grafts | .75 | |
| MAPLES, see Acer | | | |
| PEARLBUSH, see Exochorda | | | |
| 2,000 | Picea glauca conica (Dwarf Alberta Spruce) 5 yr. tr., 6-10" | .60 | .50 |
| 3,000 | Prunus maritima (Beach Plum) strong 1 yr. sdlgs., 10-18" | .10 | .07½ |
| 3,000 | Pseudotsuga taxifolia glauca (Blue Douglas Fir) 2 yr. sdlgs., 4-7" | .10 | .07½ |
| 300 | Rhododendron virgin., (hardy white) 3 yr. tr. | .75 | |
| 500 | " carolinianum, strong 3 yr. tr. | .60 | |
| * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * | | | |
| - RHUS COTINUS ATROPURPUREUM | | | |
| * (Purpleleaf Smokebush) | | | |
| - New. A big improvement over Rubifolia, as | | | |
| * it has a much deeper red color and holds | | | |
| - the color better. | | | |
| * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * | | | |
| - 500 1 yr. grafts, 12-24" | | .75 | .60 |
| * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * | | | |
| SMOKEBUSH, see Rhus | | | |
| * - * - * - * - * - * - * - * - * - * - * - * - * - * - * | | | |
| - TAXUS CAPITATA | | | |
| * Seed down lightly. Plants grown with plenty of room in beds. * | | | |
| - 5,000 strong 2 yr. sdlgs. .15 each per 100 | | | |
| * .12½ each per 1000 * | | | |
| - * - * - * - * - * - * - * - * - * - * - * - * - * - * | | | |
| 1,000 | Taxus brevifolia nana, 2 yr. tr. | .45 | .40 |
| 2,000 | " hatfieldi, 2 yr. tr. | .45 | .40 |
| 2,500 | " hicksii, 2 yr. tr. | .45 | .40 |
| 1,000 | Thuja woodwardi (Globe Arborvitae) 2 yr. tr., 8-10", cut back last Spring | .35 | .30 |
| x - x - x - x - x - x - x - x - x - x - x - x - x - x - x - x - x - x - | | | |
| - VIBURNUM CARLESI | | | |
| x | 2,000 - 2 yr. sdlgs., 4-6" | .15 | .12½ |
| - | 2,000 - 2 yr. sdlgs., 6-8" | .20 | .17½ |
| x | 2,000 - 2 yr. sdlgs., 8-12" | .30 | .25 |
| - | (*)1,000 - 3 yr. tr., 12-18" | .75 | .60 |
| x | (*) branched strong, suitable for mail order trade | | |
| - x - x - x - x - x - x - x - x - x - x - x - x - x - x - x - x - x - x - | | | |
| 25 | Viburnum fragrans, 2 yr. grafts, 18-24" | .75 | |
| 200 | " wrightii, 2 yr. grafts, 10-18" | .75 | |
| 500 | " , 2 yr. sdlgs., 12-18" | .20 | .15 |

November 30, 1955

C. Hoogendoorn, Nurseryman, Turner Road, Newport, R. I.

- 1 -

Telephone Newport 3405

LINING-OUT STOCK - continued

| | Per 100
(EACH) | Per 1000
(EACH) |
|---|-------------------|--------------------|
| 500 Weigelia Vaniceki, 1 yr. hardwood, 18-24" | \$.15 | \$ |
| 500 Wisteria Jako, white, 2 yr. grafts | .75 | |
| YEWS, see Taxus | | |

LANDSCAPE MATERIAL

| | | |
|-------|--|------|
| 250 | <i>Althea</i> semi-double white, pink center, 2-2½' light | .25 |
| 100 | " Wm. R. Smith, large single white, 2-2½' | .25 |
| 100 | " blue, 2-3' light | .25 |
| 500 | " Lady Stanley, 2-3' light | .25 |
| 200 | " <i>rosea grandiflora</i> , lg. single deep pink, 2-3' light | .25 |
| 200 | " single white, pink center, 2-3' light | .25 |
| 30 | " Wm. R. Smith, 3-4' heavy | .50 |
| 75 | <i>Aristolochio siphon</i> (Dutchman's Pipe) heavy clumps | 2.00 |
| 200 | <i>Azalea amoena</i> , 12-15", B&B | 2.00 |
| 100 | " " , 15-18", B&B | 2.50 |
| 500 | " <i>hinodegiri</i> , 10-12", B&B | 1.25 |
| 200 | " <i>macronulatum</i> , 15-18", B&B | 2.00 |
| 250 | " <i>poukanensis</i> , 12-15", B&B | 1.75 |
| 250 | " " , 15-18", B&B | 2.00 |
| 500 | <i>Cotoneaster dielsiana</i> , 2-3' light, B.R. | .45 |
| 2,000 | " <i>praecox</i> , 3 yr. tr., 15-18", B.R. | .85 |
| | | R&B |
| 500 | " <i>wilsoni</i> (Improved <i>divaricata</i>) 2-3' heavy, B. R. | 1.25 |
| | | B&B |
| 100 | <i>Daphne mezerum album</i> , 18-24", B&B | .75 |
| 200 | <i>Eleagnus angustifolia</i> , 18-24" | 2.00 |
| | | .30 |

| | |
|--|------|
| EUONYMUS PATENS | |
| One of the best plants to plant in
the heavy shade and drafty places. | |
| 500 - 15-18", B.R. | .50 |
| B&B | 1.00 |
| 500 - 18-24", B.R. | .75 |
| B&B | 1.25 |

| | | | |
|-------|--|---------------------------------------|-----------|
| 100 | <i>Fagus sylvatica</i> Riversi (True Rivers Beech) | 3-4', B&B | 5.00 |
| 200 | <i>Forsythia</i> Arnold Brilliant | 3-4' light | .35 |
| 1,000 | " | Lynwood Gold, 18-24" | .30 .25 |
| 2,000 | " | " " , 2-3' | .40 .35 |
| 300 | " | " " , 3-4' | .60 .50 |
| 500 | " | " " , 5-6', R&B, full of flower spurs | 1.50 1.25 |
| 200 | " | Spring Glory, 2-3' light | .25 |

November 30, 1955

~ 5 ~

C. Hoogendoorn, Nurseryman, Turner Road, Newport, R. I.

Telephone Newport 3405

LANDSCAPE MATERIAL - continued

| | | Per 100
(EACH) | Per 1000
(EACH) |
|-------|---|-------------------|--------------------|
| 25 | Hypericum hidcote, heavy clumps, 18-24", B&B | \$ 1.00 | \$ |
| 40 | Ilex helleri, 10-12" | 2.00 | |
| 200 | Juniper keteleeri, 2-2½' | 2.00 | |
| 200 | " pyramidiformis (Hilli) 2-2½' | 2.00 | |
| 500 | " stricta, 10-12", B&B | .90 | .75 |
| 50 | " " , 18-24" | 1.50 | |
| 1,000 | Ligustrum ibota regalianum (Regal Privet) 15-18", true
from cuttings | .25 | .20 |
| 1,000 | " " " (Regal Privet) 18-24", true
from cuttings | .30 | .25 |
| 100 | " vicary, 18-24" | .50 | |
| 100 | Pieris japonica, 18-24" | 2.50 | |
| 50 | Rhus cotinus atropurpureum, 3-4', B&B | 2.00 | |
| 100 | Taxus hicksi, 15-18" | 2.00 | |
| 300 | " " , 18-24" | 2.50 | |
| 50 | " " , 2-2½' | 3.25 | |
| 300 | Thuja pyramidalis, 2-2½', B&B | 1.75 | |
| 30 | " Woodwardi (globe) 18-24" | 2.00 | |
| 2 | Viburnum Burkwoodi, 4½-5', B&B | 5.00 | |
| 500 | " carlesi, 18-24" (not budded) B&B | 1.50 | |
| 12 | " " , 2-2½', B&B | 2.50 | |
| 15 | " " , 2½-3', B&B | 3.50 | |
| 50 | " " , 2½-3', heavy, B&B | 5.00 | |
| 14 | " " , 3-4', heavy, B&B | 6.00 | |
| 8 | " " , 4½-5', 4' spread, B&B | 7.50 | |
| 200 | " Wrighti, 15-18", B&B | 1.50 | |
| 250 | " " , 18-24", B&B | 2.00 | |
| 100 | Weigelia rosea, 3-4', B.R. | .50 | |
| 200 | Wisteria Jako, fragrant white, 3 yr. tr., 3' | 1.25 | |

* - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - *

Lining-Out stock can be shipped both inside and outside Beetle Area.

Unable to box or bale landscape size shrubs and B&B stock.

Prices are F.O.B., Newport, R. I. Terms: 2% 10 days, net 30 days.

Packing is extra at cost.

1 to 249 take the 100 rate - 250 and over take the 1000 rate

